

1. Identification of the Preparation and of The Company

| | |
|---|--|
| Product Name and/or code: | Tusc & Pine™ Oil Paint Various Colors 40 ML & 150 ML |
| Effective Date: | 23-Dec-23 |
| Manufacturer: | MG Art Products, LLC 6022 Lois Lane Archdale, NC 27263 |
| Website Address | www.mgartproducts.com |
| Information Contact: | Tel: 1-336-861-8584 info@mgartproducts.com |
| Emergency Response Service: | ChemTel Inc. 1305 North Florida Avenue Tampa, FL 33602 USA 813-248-0573 www.chemtelinc.com |
| Contact Number: | MIS4299042 |
| Within the United States, Canada, Puerto Rico, and the U.S. Virgin Islands: | 1-800-255-3924 |
| Emergency Contact (Health) : | For health emergencies call the Poison Control Center: 1-800-222-1222 |
| Product Use: | ART MATERIAL - CONSUMER PRODUCT. Artist oil paint. For application artist palette knife and paint brush. Not intended for spray application, sanding, or other operations which generate dust or airborne concentrations. |

2. Hazards Identification
Emergency Overview

Warning! Harmful if swallowed. May cause skin irritation and allergic reaction.

Classification of the Product:

Label Elements

Conforms to ASTM D-4236

Hazard Pictograms



GHS08



GHS07



GHS09

Signal Word

WARNING!

Hazard Statement

Colors containing Cadmium and Cadmium compounds (**Pigment mixture**): Cancer hazard. Dried film of this paint may be harmful if eaten or chewed. Harmful or fatal if ingested.

Colors containing Cobalt and Cobalt compounds (**Pigment mixture**): Cancer hazard. Dried film of this paint maybe harmful if eaten or chewed. Harmful if ingested.

Precaution Statement:

Do not ingest. Do not expose to direct flame. Handle with care. Avoid eye and skin contact. Wash thoroughly after handling. Do not eat or smoke while using this product. Wear gloves. Use with adequate ventilation.



Colors Containing Hazardous Compounds

Children's Statement

NFPA

HMIS

KEEP OUT OF THE REACH OF CHILDREN.

Health: 3 - Cadmium 2 - Cobalt

Flammability: 0

Reactivity : 0

Health : 2

Flammability: 0

Physical Hazard: 0

Studies have not been performed on this particular mixture. The information below is based on data on the individual hazardous ingredient.

Cadmium Compounds: May cause cancer (H330); Causes damage to organs through prolonged or repeated exposure (H372); Suspected of causing genetic effects (H341); Suspected of damaging fertility or the unborn child (H361); May cause respiratory irritation (H335); Toxic if swallowed (H301); Very toxic to aquatic life with long lasting effects (H410).

Cobalt Compounds: May cause cancer by inhalation (H350); May cause an allergic reaction (H317); May cause an allergic or asthma symptoms or breathing difficulties if inhaled (H334); May cause long lasting harmful effects to aquatic life (H413).

Obtain special instructions before use. (P201)

Avoid breathing dust/fume/gas/mist/vapors/spray. (P201)

3. Composition/Information on Ingredients:**Substances:**

Mixture of the following chemicals:

Proprietary Ingredients (Mixture) < 95%

Proprietary Pigment (Mixture) < 70%

Proprietary Cobalt Pigment (Mixture) < 70%

Proprietary Cadmium Pigment (Mixture) < 19 %

Proprietary ingredients (Mixture) present at less than 95% and 70% are non-hazardous, thus no classification is required.

4. First Aid Measures

Inhalation

If affected, remove to fresh air. If symptoms persists, contact a physician. May cause an allergic or asthma symptoms or breathing difficulties if inhaled, if symptoms persist, contact a physician.

Skin Contact

Wash the affected area thoroughly with plenty of soap and water. May cause an allergic reaction, if symptoms persist, contact a physician.

Eye Contact

Carefully flush with water for 15 minutes, lifting the upper and lower lids until no evidence of product remains. If irritation occurs, contact a physician.

Ingestion

Do not induce vomiting. Contact a physician immediately. Rinse mouth with water. Ingested cadmium or nickel may lead to spontaneous vomiting.

5. Firefighting Measures

Extinguishing Media

Water, foam, carbon dioxide or dry chemical equipment.

Fire/Explosion Hazards

This product is not known to present any fire hazard.

Flashpoint/Flammability

Not Flammable.

6. Accidental Release Measures

Methods and Materials for Containment and
Cleaning up

Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.



Colors Containing Hazardous Compounds

7. Handling and Storage

Safe Handling

Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. **Keep container upright to prevent leakage.**

Environmental precautions

No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.

Storage

Keep the product in a cool dry ventilated area. Keep away from fire and heating sources. Store between 50-100 deg. F., ideally 70 deg.F.

8. Exposure Controls/Personal Protection

Personal Protective Equipment

Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

Exposure Limits

| Substance | OSHA PEL | NIOSH REL | ACGIH TLV |
|----------------------------|--|--|---|
| | 8 hr TWA | Up to 10-hour TWA | 8-hour TWA |
| | (ST) STEL (c) Ceiling | | |
| Cadmium Dust | 0.2 mg/m ³ ; 0.6 mg/m ³ (Acceptable Ceiling) | *IDHL : None established; NIOSH considers cadmium compounds to be potential occupational carcinogens as defined by the OSHA carcinogen policy [29 CFR 1990]. | Refer to Cadmium |
| Cadmium Fume | 0.1 mg/m ³ ; 0.3 mg/m ³ (Acceptable Ceiling) | | |
| Cadmium compounds | 0.005 mg/m ³ | | 0.01mg/m ³ (total) 0.002 mg/m ³ (resp) |
| Cobalt Metal Dust and Fume | 0.02 mg/m ³ | 0.05 mg/m ³ | 0.02 mg/m ³ (IHL) |

Respiratory and Ventilation

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection

Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection

Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

Appearance

Oil Paint - Paste

Physical State

Thick liquid

Color

Various

Odor

Not determined

Odor Threshold

Not determined

Boiling Point

Not determined

Freezing Point

Not determined

State (pH)

Not Applicable



Colors Containing Hazardous Compounds

| | |
|---------------------|----------------|
| Specific Gravity | Not determined |
| Viscosity | Paste |
| Flashpoint | Not flammable |
| Vapor Pressure | Not applicable |
| Vapor Density | Not applicable |
| Solubility in water | Miscible |

10. Stability and Reactivity

| | |
|----------------------------------|---|
| Reactivity: | No dangerous reaction known under conditions of normal use. |
| Chemical Stability | Stable under recommended storage conditions. |
| Conditions to Avoid | Avoid creating or accumulating dusts. Keep away from direct sunlight. Avoid high temperatures. |
| Incompatible materials | Strong oxidizing agents; acids. |
| Hazardous Decomposition Products | May give off toxic fumes in case of fire, including lead fumes. Decomposition products depend on conditions. |

11. Toxicological Information

Analytical Studies have not been performed on this particular mixture (all colors). The information below is based on data and toxicological review on the individual hazardous ingredients, proprietary ingredients and mode of application.

When used and handled according to specifications, the product does not have any harmful effects.

| | |
|----------------|---|
| Health Effects | Dried film of this paint may be harmful if eaten or chewed. |
|----------------|---|

Acute Toxicity - The toxicity values listed below are based on published literature values for the pure components.

| | |
|----------------|--|
| Acute Toxicity | None known for this mixture. Cadmium - Oral: LD50 (Rat): 225 mg/kg LD50 (Mouse): 890 mg/kg Cadmium - Dermal: Not Available Cadmium - Inhalation: LC50 (Rat): 25 mg/kg - 30 mins Cobalt - Oral: LD50 (Rat): 6,170 mg/kg Cobalt - Dermal: Not Available Cobalt - Inhalation: LC50 (Rat): 10 mg/kg - 1 hour |
| Eye Effects | This product is not considered as being an eye irritant. Direct contact with eye may cause mild eye irritation. This product is not a primary skin irritant. <i>Pigment mixture compounds: May cause irritation or redness.</i> |
| Skin Effects | Direct contact with skin may result in little or no irritation. Prolonged contact with skin may cause an allergic reaction. This product is not a primary skin irritant. <i>Pigment mixture compounds: Prolonged contact may cause irritation or redness.</i> |
| Inhalation | May cause mild respiratory irritation at higher temperatures. <i>Pigment mixture compounds: Overexposure or prolonged exposure may be harmful.</i> |
| Sensitization | Not likely to occur. |
| Ingestion | Harmful if swallowed. May cause irritation of mouth, throat, and stomach. May result in nausea and vomiting. |

Chronic Effects

When used and handled according to specifications, the product does not have any harmful effects. None known or reported by the manufacturer.

Cadmium compounds

Known to be human carcinogen
Group 1: Carcinogenic to humans
A2: Suspected human carcinogen
Listed

Cobalt compounds

Reasonably anticipated to be a human carcinogen
Group 2B: Possible carcinogenic to humans
A3: Confirmed animal carcinogen
Listed

NTP

IARC

ACGIH

OSHA

NTP

IARC

ACGIH

OSHA

12. Ecological Information
Toxicity:

Paint mixture is not expected to be harmful to the environment. No product should be released to the environment. It is not expected to have significant environmental effects. No significant effects on aquatic organisms are expected.

Aquatic toxicity

No information available for this mixture.

Persistence and degradability

No information available for this mixture.

Bioaccumulate potential

No information available for this mixture.

Mobility in soil

No information available for this mixture.

Persistent, Bioaccumulate and Toxic (PBT)

No information available for this mixture.

Very Persistent and Very Bioaccumulate (vPvB)

No information available for this mixture.

Additional ecological information

As a general rule, no product should be released to the environment. The product should not be allowed to enter drains, water courses, or be deposited where it can affect ground or surface water.

When used and handled according to specifications, the product does not have any harmful effects according to past experience and the information provided.

13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer waste. Outside North America, all relevant national and local legislation must be complied with.

14. Transport Information
Art Material - CONSUMER PRODUCT

Based on the generic category of some of the components listed in section 3, a hazardous categorization could be applied to this mixture. However, per the information supplied by the manufacturer, the component pigment mixtures used in these paints are not classifiable as dangerous goods under transport regulations.

DOT

This regulation does not apply to the non-bulk material.

IMDG

This regulation does not apply to the non-bulk material.

ICAO/IATA

This regulation does not apply to the non-bulk material.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

Colors Containing Hazardous Compounds

| | |
|---|---------------------------------|
| SARA | Not applicable to this mixture. |
| Section 355 (extremely hazardous substances) | Not applicable to this mixture. |
| Section 313 (specific toxic chemical listing) | Not applicable to this mixture. |

| | |
|------------------------------------|-----------------------------|
| TSCA (Toxic Substance Control Act) | All ingredients are listed. |
|------------------------------------|-----------------------------|

California Proposition 65

⚠ WARNING: This product can expose you to chemicals including cadmium, cadmium compounds, CI pigment Red 108, trace heavy metals, polychlorinated biphenyl, ethylene oxide, which are known to the State of California to cause cancer, and which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Cobalt compounds present in these paints are not Prop 65 cobalt listed chemicals.

| | |
|---|--|
| Carcinogenicity categories | Refer to section 11 |
| EPA (Environmental Protection Agency) | Not applicable to this mixture. |
| TLV (Threshold Limit Value established by ACGIH) | Not applicable to this mixture. Refer to section 8 for further information on individual substances of this mixture. |
| NIOSH (National Institute for Occupational Safety & Health) | Not applicable to this mixture. |
| OSHA (Occupational Safety & Health Administration) | Not applicable to this mixture. |
| MAK (German Maximum Workplace Concentration) | Not applicable to this mixture. |

16. Other Information

| | |
|-------------------|---|
| Reason for Issue: | NEW SDS |
| Prepared by: | ENVIRONMENTAL MEDICINE, INC. 778 Carver Avenue WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13 |

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:
NFPA (SCALE 0-4) National Fire Protection Association (USA)

| | |
|---------------|--|
| Health: 3 | Warning - Corrosive or toxic. Avoid skin contact or inhalation. |
| Health: 2 | Warning - May be harmful if inhaled or absorbed. |
| Fire: 0 | No combustible. |
| Reactivity: 0 | Not reactive when mixed with water. |

HMIS (SCALE 0-4) Hazardous Materials**Identification System (USA)**

Health: 2

Fire: 0

Physical Hazard: 0

Moderate Hazard. Temporary or minor injury may occur.**Slight Hazard.** Materials that will not burn.**Minimal Hazard.** Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-explosives.**Exposure Limits**

TWA - Time Weighted Average (8 hr.)

STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit

PEL - Permissible Exposure Limit

IDLH - Immediately Dangerous to Life or

Health

| SKU Number | Color Description | UPC Code | Classification |
|------------|--|--------------|--|
| 43413 | Wellington Vert Noir Deep 1.35 fl oz (40 mL) | 810075452228 | <i>Cadmium Compound & Additional Prop 65 Chemicals</i> |
| 53413 | Wellington Vert Noir Deep 5 fl oz (150 mL) | 810075451214 | <i>Cadmium Compound & Additional Prop 65 Chemicals</i> |
| 43901 | Cadmium Yellow Lemon 1.35 fl oz (40 mL) | 810075450972 | <i>Cadmium Compound Prop 65</i> |
| 53901 | Cadmium Yellow Lemon 5 fl oz (150 mL) | 810075451733 | <i>Cadmium Compound Prop 65</i> |
| 43904 | Cadmium Yellow Light 1.35 fl oz (40 mL) | 810075451009 | <i>Cadmium Compound Prop 65</i> |
| 53904 | Cadmium Yellow Light 5 fl oz (150 mL) | 810075451764 | <i>Cadmium Compound Prop 65</i> |
| 43902 | Cadmium Yellow Medium 1.35 fl oz (40 mL) | 810075450989 | <i>Cadmium Compound Prop 65</i> |
| 53902 | Cadmium Yellow Medium 5 fl oz (150 mL) | 810075451740 | <i>Cadmium Compound Prop 65</i> |
| 43903 | Cadmium Yellow Deep 1.35 fl oz (40 mL) | 810075450996 | <i>Cadmium Compound Prop 65</i> |
| 53903 | Cadmium Yellow Deep 5 fl oz (150 mL) | 810075451757 | <i>Cadmium Compound Prop 65</i> |
| 43801 | Cadmium Orange 1.35 fl oz (40 mL) | 810075450934 | <i>Cadmium Compound Prop 65</i> |
| 53801 | Cadmium Orange 5 fl oz (150 mL) | 810075451696 | <i>Cadmium Compound Prop 65</i> |
| 43707 | Cadmium Red Light 1.35 fl oz (40 mL) | 810075450842 | <i>Cadmium Compound Prop 65</i> |
| 53707 | Cadmium Red light 5 fl oz (150 mL) | 810075451603 | <i>Cadmium Compound Prop 65</i> |
| 43705 | Cadmium Red Medium 1.35 fl oz (40 mL) | 810075450828 | <i>Cadmium Compound Prop 65</i> |
| 53705 | Cadmium Red Medium 5 fl oz (150 mL) | 810075451580 | <i>Cadmium Compound Prop 65</i> |
| 43706 | Cadmium Red Deep 1.35 fl oz (40 mL) | 810075450835 | <i>Cadmium Compound Prop 65</i> |
| 53706 | Cadmium Red Deep 5 fl oz (150 mL) | 810075451597 | <i>Cadmium Compound Prop 65</i> |
| 43708 | Cadmium Burgundy 1.35 fl oz (40 mL) | 810075450859 | <i>Cadmium Compound Prop 65</i> |
| 53708 | Cadmium Burgundy 5 fl oz (150 mL) | 810075451610 | <i>Cadmium Compound Prop 65</i> |
| 43407 | Wellington Vert Noir 1.35 fl oz (40 mL) | 810075450606 | <i>Cadmium Compound Prop 65</i> |
| 53407 | Wellington Vert Noir 5 fl oz (150 mL) | 810075451368 | <i>Cadmium Compound Prop 65</i> |
| 43601 | Cobalt Violet 1.35 fl oz (40 mL) | 810075450750 | <i>Cobalt</i> |
| 53601 | Cobalt Violet 5 fl oz (150 mL) | 810075451511 | <i>Cobalt</i> |
| 43502 | Cobalt Blue 1.35 fl oz (40 mL) | 810075450668 | <i>Cobalt</i> |
| 53502 | Cobalt Blue 5 fl oz (150 mL) | 810075451429 | <i>Cobalt</i> |